

SAMPLE: DO NOT FAX TO DATAFAX



Visit Code

□□□.□□

1

HIVNET 015 (EXPLORE 040)

Months 18 through 48 Follow-up Risk Assessment (182)

Participant ID

000-□□□□-□
Site Number Participant Number Chk

Months 18 through 48 Follow-up Risk Assessment

Table with 7 columns: Item, strongly disagree, somewhat disagree, slightly disagree, slightly agree, somewhat agree, strongly agree. Rows A9-A23.

**SAMPLE: DO NOT
FAX TO DATAFAX**

■ ■ ■ ■ ■ ■ ■ ■ ■ ■ Visit Code

HIVNET 015 (EXPLORE 040)

Months 18 through 48 Follow-up Risk Assessment (183)

Participant ID

- -

Site Number Participant Number Chk

**Months 18 through 48
Follow-up Risk Assessment**

Using the scale on this card, please indicate how much you **enjoy** or **think you might enjoy** doing the following activities with a man. Please answer for each sexual activity whether you have done it or not.

Show Card #3.

	<i>dislike very much</i>	<i>dislike somewhat</i>	<i>enjoy somewhat</i>	<i>enjoy very much</i>
A24. You have insertive anal sex with your partner and you don't use a condom.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
A25. You have receptive anal sex with your partner and he does not use a condom.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
A26. You have oral sex with your partner and he comes in your mouth.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Next is a list of ways you may have felt or behaved last week. How often have you felt this way during the past week? Please use the scale on this card. **Show Card #4.**

A27. How often during the past week did you...

	<i>never or rarely</i>	<i>sometimes (1-2 days)</i>	<i>often (3-4 days)</i>	<i>mostly or always (5-7 days)</i>
feel like you couldn't shake off the blues even with help from your family or friends?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
have trouble keeping your mind on what you were doing?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
feel that everything you did was an effort?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
have trouble sleeping?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
feel lonely?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
feel sad?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
feel like you just couldn't "get going?"	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

**SAMPLE: DO NOT
FAX TO DATAFAX**



Visit
Code

HIVNET 015 (EXPLORE 040)

Months 18 through 48 Follow-up
Risk Assessment (184)

Participant ID

-

Site Number

Participant Number

Chk

**Months 18 through 48
Follow-up Risk Assessment**

PEP QUESTIONS

The following set of questions refer to anti-HIV medications people might try to use to prevent HIV infection after a high-risk exposure. Anti-HIV medications include drugs such as AZT, 3TC, ddi, d4T, nevirapine, and protease inhibitors. Using anti-HIV drugs this way is sometimes referred to as post-exposure prevention, PEP, or morning after pills.

- B1. Since your last interview, have you used anti-HIV medications to prevent HIV infection either before or after a high-risk sexual or drug use exposure? *yes* *no*
- B2. If you had unprotected receptive anal sex with an HIV-positive partner, how likely would you be to try anti-HIV medications to prevent HIV infection? *very likely* *somewhat likely* *not at all likely*
- B3. If you had a high-risk exposure and wanted to get anti-HIV medications to try to prevent HIV infection and cost was not an issue, do you think you would be able to easily obtain the drugs? *yes* *no*

Using the scale on this card, please indicate how much you agree or disagree with the following statement.

Show Card #2.

- B4. Easy access to PEP will increase unsafe sex among people I know. *strongly disagree* *somewhat disagree* *slightly disagree* *slightly agree* *somewhat agree* *strongly agree*

SAMPLE: DO NOT FAX TO DATAFAX

Visit Code

□□□

1

HIVNET 015 (EXPLORE 040)

Months 18 through 48 Follow-up Risk Assessment (185)

Participant ID

000-□□□□-□

Site Number

Participant Number

Chk

Months 18 through 48 Follow-up Risk Assessment

SUBSTANCE USE AND SEX QUESTIONS

The next set of questions is about alcohol and drug use. Please remember that this information will not be disclosed to any agency, program, or individual. All data are strictly confidential and participants are protected by our Certificate of Confidentiality.

- C1. Since your last interview, about how often did you get high or have a few drinks immediately before or during sex?
C2. Since your last interview, about how often would you say that alcohol or drug use made it more difficult for you to have safer sex?

ALCOHOL USE QUESTIONS

- C3. Using this card, tell me, on average how often have you had a drink containing alcohol since your last interview? By a drink, I mean a 12-oz. can or glass of beer, a 4-oz. glass of wine, a 1-1/2-oz. shot of liquor, or a mixed drink with that amount of liquor.

Show Card #6.

Table with columns: Total # days in six months (0, 1-25, 26-52, 53-156, >156) and frequency (never, less than once a week, 1-2 days a week, 3-6 days a week, every day).

- C3a. How many drinks containing alcohol did you have on a typical day when you were drinking since your last interview?
C3b. On how many days since your last interview did you have five drinks or more?
C3c. Think now about the last 30 days only. On how many of those days did you have an alcoholic drink?

**SAMPLE: DO NOT
FAX TO DATAFAX**



Visit Code

HIVNET 015 (EXPLORE 040)

Months 18 through 48 Follow-up
Risk Assessment (186)

Participant ID

- -

Site Number Participant Number Chk

**Months 18 through 48
Follow-up Risk Assessment**

- C4. Since your last interview, have you received alcohol treatment? This does not include self-help programs such as Alcoholics Anonymous. **yes** **no** → **If no, go to question C6.**
- C5. Are you in alcohol treatment now? **yes** **no**
- C6. Since your last interview, have you attended a self-help program for alcohol problems, such as Alcoholics Anonymous? **yes** **no**

DRUG USE QUESTIONS

Next are questions about drug use. Again, please remember that this information will not be disclosed to any agency, program, or individual. All data are strictly confidential and participants are protected by our Certificate of Confidentiality.

- C7. Using the choices on this card, since your last interview, how often have you... **Show Card #6.**

<i>Total times in six months</i>	0	1-25	26-52	53-156	>156
----------------------------------	---	------	-------	--------	------

	never	less than once a week	1-2 days a week	3-6 days a week	every day
<i>used marijuana or hashish?</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<i>used poppers or inhaled nitrites, including ampules?</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<i>smoked crack or rock cocaine?</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<i>snorted or sniffed cocaine?</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<i>swallowed, snorted, or smoked amphetamines such as speed, crystal, or crank?</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<i>snorted or smoked heroin?</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<i>used hallucinogens such as PCP, Special K, angel dust, acid, LSD, mushrooms, or Ecstasy?</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<i>used any other non-injectable drugs to get high?</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<i>used Viagra or another Viagra-like prescribed medication?</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

**SAMPLE: DO NOT
FAX TO DATAFAX**

██████████ Visit Code

□□.□

1

HIVNET 015 (EXPLORE 040)

Months 18 through 48 Follow-up
Risk Assessment (187)

Participant ID

000-□□□□-□
Site Number Participant Number Chk

**Months 18 through 48
Follow-up Risk Assessment**

C8. Since your last interview, have you used a needle to inject any drugs, including steroids, under your skin or into a vein?
 yes no
 → **If no, go to question D1.**

C8a. Have you injected...

	yes	no
heroin by itself?.....	<input type="checkbox"/>	<input type="checkbox"/>
cocaine by itself?	<input type="checkbox"/>	<input type="checkbox"/>
cocaine and heroin, or speedball?.....	<input type="checkbox"/>	<input type="checkbox"/>
amphetamines, such as uppers, speed, meth, or crank?	<input type="checkbox"/>	<input type="checkbox"/>
dilaudid?.....	<input type="checkbox"/>	<input type="checkbox"/>
barbiturates?	<input type="checkbox"/>	<input type="checkbox"/>
methadone?.....	<input type="checkbox"/>	<input type="checkbox"/>
steroids?	<input type="checkbox"/>	<input type="checkbox"/>
any other drugs?.....	<input type="checkbox"/>	<input type="checkbox"/>

C9. Using the choices on this card, please tell me how often you have injected drugs since your last interview.

Show Card #7.

Total times in six months	1-11	12-51	52-182	>182
	<i>less than twice per month</i>	<i>2-8 x per month</i>	<i>2-7 x per week</i>	<i>more than once per day</i>
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

C10. Since your last interview, with how many different people did you share needles or works?

none one other person more than one person

↓
If none, go to question D1.

C10a. Since your last interview, did you ever share a needle with someone you knew to be HIV-positive?
 yes no

**SAMPLE: DO NOT
FAX TO DATAFAX**



Visit Code

HIVNET 015 (EXPLORE 040)

Months 18 through 48 Follow-up
Risk Assessment (188)

Participant ID

0	0	0	-						-	
Site Number				Participant Number						Chk

**Months 18 through 48
Follow-up Risk Assessment**

SEXUAL BEHAVIOR WITH MEN

The following questions ask about your sexual behavior with male partners who are HIV-positive and HIV-negative, as well as partners whose HIV status is unknown to you. Again, these questions refer to the time period since your last interview.

D1. How many male sex partners have you had since your last interview? Include only men with whom you had anal or oral sex, with or without a condom, and with or without ejaculation.

If 0, go to question F1, page 27.

D2. How many of your male sex partners were HIV positive?

D3. How many of your male sex partners told you they were HIV-negative and you had **no reason** to doubt it?.....

D4. How many of your male sex partners never told you their HIV status, or told you they were negative and you **have reason** to doubt it?

Interviewer: Adjust numbers of partners in D1 if appropriate.

D5. Were you in a primary relationship with a male sex partner since your last interview? This would be someone you have lived with or have seen a lot, and to whom you have felt a special emotional commitment.....

yes	no
<input type="checkbox"/>	<input type="checkbox"/>

If no, go to Introduction below.

D5a. What is your primary partner's HIV status?

positive	negative	not sure
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

D5b. Has a primary relationship ended since your last interview?.....

yes	no
<input type="checkbox"/>	<input type="checkbox"/>

INTRODUCTION

Some of the next questions refer to sexual behaviors where you or your partner may have used a condom. Sex with a condom means that a condom was put on before penetration and used throughout. It includes times when a condom was used but then broke or slipped off. However, if penetration started without a condom, then a condom was put on and you continued, count this as sex without a condom.

INSTRUCTION 1: If subject reported no HIV-positive sex partners in question D2, go to Instruction 2 on page 9.

**SAMPLE: DO NOT
FAX TO DATAFAX**



Visit
Code

HIVNET 015 (EXPLORE 040)

Months 18 through 48 Follow-up
Risk Assessment (190)

Participant ID

-

Site Number

Participant Number

Chk

**Months 18 through 48
Follow-up Risk Assessment**

HIV-NEGATIVE PARTNERS

The next group of questions asks about the sexual contact you had since your last interview with your HIV-negative male partner(s).

D9. How many times did this/these partner(s) ejaculate or come in your mouth without a condom?.....

D10. How many times did you have anal sex with this/these partner(s) when his/their penis was in your rectum? This would be with or without a condom and whether or not he/they ejaculated.....

→ If 0, go to question D11.

D10a. How many of these times did your partner(s) use a male condom or did you use an anal condom (Reality® condom)?.....

→ If 0, go to question D11.

D10a1. How many of these times did a condom slip off, tear, break, or otherwise fail?

D11. How many times did you have anal sex with your HIV-negative partner(s) when your penis was in his/their rectum? This would be with or without a condom and whether or not you ejaculated.....

→ If 0, go to Instruction 3.

D11a. How many of these times did you use a male condom or did your partner(s) use an anal condom (Reality® condom)?.....

→ If 0, go to Instruction 3.

D11a1. How many of these times did a condom slip off, tear, break, or otherwise fail?

INSTRUCTION 3: If participant reported no partners of unknown status in question D4, go to page 12.

**SAMPLE: DO NOT
FAX TO DATAFAX**

■ ■ ■ ■ ■ ■ ■ ■ ■ ■ Visit Code

.

HIVNET 015 (EXPLORE 040)

Months 18 through 48 Follow-up
Risk Assessment (191)

Participant ID

- -

Site Number

Participant Number

Chk

**Months 18 through 48
Follow-up Risk Assessment**

HIV-STATUS UNKNOWN PARTNERS

The next group of questions asks about the sexual contact you had since your last interview with your male partner(s) whose HIV status you are not sure of.

D12. How many times did this/these partner(s) ejaculate or come in your mouth without a condom?

D13. How many times did you have anal sex with this/these partner(s) when his/their penis was in your rectum? This would be with or without a condom and whether or not he/they ejaculated.

→ *If 0, go to question D14.*

D13a. How many of these times did your partner(s) use a male condom or did you use an anal condom (Reality® condom)?

→ *If 0, go to question D14.*

D13a1. How many of these times did a condom slip off, tear, break, or otherwise fail?

D14. How many times did you have anal sex with this/these partner(s) whose HIV status you are not sure of, when your penis was in his/their rectum? This would be with or without a condom and whether or not you ejaculated.

→ *If 0, go to question D15.*

D14a. How many of these times did you use a male condom or did your partner(s) use an anal condom (Reality® condom)?

→ *If 0, go to question D15.*

D14a1. How many of these times did a condom slip off, tear, break, or otherwise fail?

**SAMPLE: DO NOT
FAX TO DATAFAX**



Visit
Code

HIVNET 015 (EXPLORE 040)

Months 18 through 48 Follow-up
Risk Assessment (192)

Participant ID

-

Site Number

Participant Number

Chk

**Months 18 through 48
Follow-up Risk Assessment**

PARTNER BY PARTNER QUESTIONS

Interviewer: Record the number of partners reported in question D1.

You will now be asked more detailed questions about your most recent male sex partner(s) since your last interview, up to a maximum of three partners.

D15. Think about your most recent male sex partner. Could you give me initials, a first name, or nickname that I can use to refer to him? This does not need to be his real name or initials.

→ **If only 1 partner since your last interview, go to Instruction 4, page 13.**

D16. Think about your next most recent male sex partner. Could you give me initials, a first name, or nickname that I can use to refer to him? This does not need to be his real name or initials.

→ **If only 2 partners since your last interview, go to Instruction 4, page 13.**

D17. Think about your next most recent male sex partner. Could you give me initials, a first name, or nickname that I can use to refer to him? This does not need to be his real name or initials.

SAMPLE: DO NOT FAX TO DATAFAX



Visit Code

□□□.□□

1

HIVNET 015 (EXPLORE 040)

Months 18 through 48 Follow-up Risk Assessment (194)

Participant ID

000-□□□□□-□
Site Number Participant Number Chk

Months 18 through 48 Follow-up Risk Assessment

Ea6. Has _____ (most recent partner) ever had an HIV test? yes no don't know

If no or don't know, go to Introduction, page 15.

Ea6a. What was his **most recent** HIV test result?

HIV-positive → **If positive, go to question Ea6b.**

HIV-negative → **If negative, go to question Ea6c.**

not sure → **If not sure, go to Introduction, page 15.**

Ea6b. Is _____ (most recent partner) taking any anti-HIV medications? yes no don't know

If yes, no, or don't know, go to Introduction, page 15.

Ea6c. How confident are you that _____ (most recent partner) is HIV-negative?

Show Card #9.

very confident somewhat confident slightly confident not at all confident

SAMPLE: DO NOT FAX TO DATAFAX



Visit Code boxes

Page number box containing 1

HIVNET 015 (EXPLORE 040)

Months 18 through 48 Follow-up Risk Assessment (195)

Participant ID

Participant ID boxes: Site Number (000), Participant Number, Chk

Months 18 through 48 Follow-up Risk Assessment

INTRODUCTION

The next group of questions asks about the most recent time you had sex with this partner. The following questions will be about _____.

Ea7. When did you last have sex with this partner? That is, anal or oral sex, with or without a condom, and with or without ejaculation. mm yy

Ea8. Using the choices on this card, during the most recent time you had sex with this partner, where did you have sex?

Show Card #10.

- your house or apartment or his house or apartment
hotel
sex club or bath
bar, night club, or dance club
health club or gym
porn theater/video arcade
public bathroom
other public place, such as beach, park, woods, street, car, or van
other

Ea9. During the most recent time you had sex with this partner, did your partner ejaculate or come in your mouth without a condom? yes no

Ea10. During the most recent time you had sex with this partner, did you have anal sex when his penis was in your rectum? This would be with or without a condom and whether or not he ejaculated. If no, go to question Ea11.

Ea10a. Did your partner use a male condom or did you use an anal condom (Reality® condom)? If no, go to question Ea11.

Ea10a1. Did the condom slip off, tear, break, or otherwise fail?

Ea11. During the most recent time you had sex with this partner, did you have anal sex when your penis was in his rectum? This would be with or without a condom and whether or not you ejaculated. If no, go to question Ea12.

Ea11a. Did you use a male condom or did your partner use an anal condom (Reality® condom)? If no, go to question Ea12.

Ea11a1. Did the condom slip off, tear, break, or otherwise fail?

**SAMPLE: DO NOT
FAX TO DATAFAX**



Visit
Code

HIVNET 015 (EXPLORE 040)

Months 18 through 48 Follow-up
Risk Assessment (196)

Participant ID

- -

Site Number

Participant Number

Chk

**Months 18 through 48
Follow-up Risk Assessment**

Ea12. Were you drinking alcohol within two hours before or during the most recent time you had sex with this partner?

yes

no

If no, go to question Ea13.

Ea12a. How many drinks did you have? By a drink, I mean a 12-oz. can or glass of beer, a 4-oz. glass of wine, a 1-1/2-oz. shot of liquor, or a mixed drink with that amount of liquor.

number of drinks

Ea13. Was your partner drinking within two hours before or during the most recent time you had sex?

yes

no

don't know

Ea14. Did you use drugs either immediately before or during the most recent time you had sex with this partner?

If no, go to question Ea15.

Ea14a. Which drugs? *Mark all that apply.*

- used marijuana or hashish
- used poppers or inhaled nitrites, including ampules
- smoked crack or rock cocaine
- snorted or sniffed cocaine
- swallowed, snorted or smoked amphetamines, such as speed, crystal or crank
- snorted or smoked heroin
- used hallucinogens, such as PCP, Special K, angel dust, acid, LSD, mushrooms, or Ecstasy
- used any other non-injectable drugs to get high
- used any injectable drugs to get high

Ea15. Did your partner use drugs either immediately before or during the most recent time you had sex with him?

yes

no

don't know

SAMPLE: DO NOT FAX TO DATAFAX

Visit Code

Visit Code input boxes

HIVNET 015 (EXPLORE 040)

Months 18 through 48 Follow-up Risk Assessment (197)

Participant ID

Participant ID input boxes: Site Number, Participant Number, Chk

Months 18 through 48 Follow-up Risk Assessment

INSTRUCTION 5: Review the participant's response to question D1, page 8.

- If the participant reported having only one male partner and reported having more than one episode of sex with the partner in question Ea5, continue with questions Ea16 -Ea24.
• If the participant reported having more than one male partner, go to Instruction 6, page 19.
• If the participant reported having only one male partner and reported having only one episode of sex with the partner in question Ea5, go to question F1, page 27.

The next group of questions are similar, but refer to the next to last time you had sex with your partner, (use name as reported on question D15, page 12).

Ea16. When was the next to last time that you had sex with your partner? That is anal or oral sex, with or without a condom, and with or without ejaculation. mm yy

Ea17. Using the choices on this card, during the next to last time you had sex with this partner, where did you have sex? Show Card #10.

- your house or apartment or his house or apartment
hotel
sex club or bath
bar, night club, or dance club
health club or gym
porn theater/video arcade
public bathroom
other public place, such as beach, park, woods, street, car, or van
other

Ea18. During the next to last time you had sex with this partner, did your partner ejaculate or come in your mouth without a condom? yes no

Ea19. During the next to last time you had sex with this partner, did you have anal sex when his penis was in your rectum? This would be with or without a condom and whether or not he ejaculated. If no, go to question Ea20.

Ea19a. Did your partner use a male condom or did you use an anal condom (Reality® condom)? If no, go to question Ea20.

Ea19a1. Did the condom slip off, tear, break or otherwise fail?

Ea20. During the next to last time you had sex with this partner, did you have anal sex when your penis was in his rectum? This would be with or without a condom and whether or not you ejaculated. If no, go to question Ea21.

Ea20a. Did you use a male condom or did your partner use an anal condom (Reality® condom)? If no, go to question Ea21.

Ea20a1. Did the condom slip off, tear, break, or otherwise fail?

**SAMPLE: DO NOT
FAX TO DATAFAX**



Visit Code

HIVNET 015 (EXPLORE 040)

Months 18 through 48 Follow-up Risk Assessment (198)

Participant ID

- -

Site Number

Participant Number

Chk

**Months 18 through 48
Follow-up Risk Assessment**

Ea21. Were you drinking alcohol within two hours before or during the next to last time you had sex with this partner?.....

yes

no

→ **If no, go to question Ea22.**

Ea21a. How many drinks did you have? By a drink, I mean a 12-oz. can or glass of beer, a 4-oz. glass of wine, a 1-1/2-oz. shot of liquor, or a mixed drink with that amount of liquor.

number of drinks

Ea22. Was your partner drinking within two hours before or during the next to last time you had sex?

yes

no

don't know

Ea23. Did you use drugs either immediately before or during the next to last time you had sex with this partner?

→ **If no, go to question Ea24.**

Ea23a. Which drugs? *Mark all that apply.*

- used marijuana or hashish
- used poppers or inhaled nitrites, including ampules
- smoked crack or rock cocaine
- snorted or sniffed cocaine
- swallowed, snorted or smoked amphetamines, such as speed, crystal or crank
- snorted or smoked heroin
- used hallucinogens, such as PCP, Special K, angel dust, acid, LSD, mushrooms, or Ecstasy
- used any other non-injectable drugs to get high
- used any injectable drugs to get high

Ea24. Did your partner use drugs either immediately before or during the next to last time you had sex with him?

yes

no

don't know

→ **Go to question F1, page 27.**

Interviewer: Go to question F1, page 27.

SAMPLE: DO NOT FAX TO DATAFAX

Visit Code

□□□

1

HIVNET 015 (EXPLORE 040)

Months 18 through 48 Follow-up Risk Assessment (199)

Participant ID

000-□□□□□-□
Site Number Participant Number Chk

Months 18 through 48 Follow-up Risk Assessment

INSTRUCTION 6: Record "second most recent partner" name/initials from question D16.

The following questions will be about _____.

Eb1. Is this person a... Mark only one.

- primary partner? This would be someone that you have lived with or have seen a lot, and to whom you have felt a special emotional commitment.
steady, non-primary partner? This would be a partner with whom you had sex three or more times in the past, but don't consider your primary partner.
non-steady partner? This would be a partner with whom you had sex less than three times in the past.

Eb2. How desirable did you find this partner?

attractive enough very desirable extremely desirable
□ □ □

Eb3. How old is this partner?

≤ 18 years 19-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years ≥ 50 years
□ □ □ □ □ □ □ □

Eb4. How long have you been having sex with this partner? That is, anal or oral sex, with or without a condom, and with or without ejaculation. Show Card #8.

- less than a week
more than a week but less than a month
one to six months
seven to 12 months
more than a year

Eb5. How many times have you had sex with him since your last interview? That is, anal or oral sex, with or without a condom, and with or without ejaculation.

□□□

□ □ □ [x] June 21, 2000

sitenameXXXXXXXXXXXXXXXXXXXXXXXXXXXX

01 Language

Staff ID □□

SAMPLE: DO NOT FAX TO DATAFAX



Visit Code

.

HIVNET 015 (EXPLORE 040)

Months 18 through 48 Follow-up Risk Assessment (200)

Participant ID

- -

Site Number

Participant Number

Chk

Months 18 through 48 Follow-up Risk Assessment

yes no don't know

Eb6. Has _____ (second most recent partner) ever had an HIV test?

If no or don't know, go to Introduction, page 21.

Eb6a. What was his **most recent** HIV test result?

HIV-positive → **If positive, go to question Eb6b.**

HIV-negative → **If negative, go to question Eb6c.**

not sure → **If not sure, go to Introduction, page 21.**

Eb6b. Is _____ (second most recent partner) taking any anti-HIV medications?

yes no don't know

If yes, no, or don't know, go to Introduction, page 21.

Eb6c. How confident are you that _____ (second most recent partner) is HIV-negative?

Show Card #9.

very confident

somewhat confident

slightly confident

not at all confident

SAMPLE: DO NOT FAX TO DATAFAX

Visit Code

Visit Code input boxes

Page number 1

HIVNET 015 (EXPLORE 040)

Months 18 through 48 Follow-up Risk Assessment (201)

Participant ID

Participant ID input boxes: Site Number, Participant Number, Chk

Months 18 through 48 Follow-up Risk Assessment

INTRODUCTION

The next group of questions asks about the most recent time you had sex with this partner. The following questions will be about _____.

Eb7. When did you last have sex with this partner? That is, anal or oral sex, with or without a condom, and with or without ejaculation. mm yy

Eb8. Using the choices on this card, during the most recent time you had sex with this partner, where did you have sex? Show Card #10.

- your house or apartment or his house or apartment
hotel
sex club or bath
bar, night club, or dance club
health club or gym
porn theater/video arcade
public bathroom
other public place, such as beach, park, woods, street, car, or van
other

Eb9. During the most recent time you had sex with this partner, did your partner ejaculate or come in your mouth without a condom? yes no

Eb10. During the most recent time you had sex with this partner, did you have anal sex when his penis was in your rectum? This would be with or without a condom and whether or not he ejaculated. If no, go to question Eb11.

Eb10a. Did your partner use a male condom or did you use an anal condom (Reality® condom)? If no, go to question Eb11.

Eb10a1. Did the condom slip off, tear, break, or otherwise fail?

Eb11. During the most recent time you had sex with this partner, did you have anal sex when your penis was in his rectum? This would be with or without a condom and whether or not you ejaculated. If no, go to question Eb12.

Eb11a. Did you use a male condom or did your partner use an anal condom (Reality® condom)? If no, go to question Eb12.

Eb11a1. Did the condom slip off, tear, break, or otherwise fail?

**SAMPLE: DO NOT
FAX TO DATAFAX**



Visit Code

HIVNET 015 (EXPLORE 040)

Months 18 through 48 Follow-up Risk Assessment (202)

Participant ID

- -

Site Number

Participant Number

Chk

**Months 18 through 48
Follow-up Risk Assessment**

Eb12. Were you drinking alcohol within two hours before or during the most recent time you had sex with this partner?.....

yes

no

→ If no, go to question Eb13.

Eb12a. How many drinks did you have? By a drink, I mean a 12-oz. can or glass of beer, a 4-oz. glass of wine, a 1-1/2-oz. shot of liquor, or a mixed drink with that amount of liquor.

number of drinks

Eb13. Was your partner drinking within two hours before or during the most recent time you had sex?

yes

no

don't know

Eb14. Did you use drugs either immediately before or during the most recent time you had sex with this partner?

yes

no

→ If no, go to question Eb15.

Eb14a. Which drugs? *Mark all that apply.*

- used marijuana or hashish
- used poppers or inhaled nitrites, including ampules
- smoked crack or rock cocaine
- snorted or sniffed cocaine
- swallowed, snorted or smoked amphetamines, such as speed, crystal or crank
- snorted or smoked heroin
- used hallucinogens, such as PCP, Special K, angel dust, acid, LSD, mushrooms, or Ecstasy
- used any other non-injectable drugs to get high
- used any injectable drugs to get high

Eb15. Did your partner use drugs either immediately before or during the most recent time you had sex with him?

yes

no

don't know

SAMPLE: DO NOT FAX TO DATAFAX



Visit Code [][] . []

HIVNET 015 (EXPLORE 040)

Months 18 through 48 Follow-up Risk Assessment (203)

Participant ID

Participant ID: [0][0][0] - [][][][][] - []
Site Number Participant Number Chk

Months 18 through 48 Follow-up Risk Assessment

INSTRUCTION 7: If participant had only two male partners reported in question D15, go to question F1, page 27. Otherwise, record "third most recent partner" name/initials from question D17.

The following questions will be about _____.

Ec1. Is this person a... Mark only one.

- primary partner? This would be someone that you have lived with or have seen a lot, and to whom you have felt a special emotional commitment.
steady, non-primary partner? This would be a partner with whom you had sex three or more times in the past, but don't consider your primary partner.
non-steady partner? This would be a partner with whom you had sex less than three times in the past.

Ec2. How desirable did you find this partner?

attractive enough very desirable extremely desirable
[] [] []

Ec3. How old is this partner?

Age ranges: <= 18 years, 19-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years, >= 50 years. Each with a checkbox.

Ec4. How long have you been having sex with this partner? That is, anal or oral sex, with or without a condom, and with or without ejaculation. Show Card #8.

- less than a week
more than a week but less than a month
one to six months
seven to 12 months
more than a year

Ec5. How many times have you had sex with him since your last interview? That is, anal or oral sex, with or without a condom, and with or without ejaculation.

[][][]

SAMPLE: DO NOT FAX TO DATAFAX



Visit Code

.

HIVNET 015 (EXPLORE 040)

Months 18 through 48 Follow-up Risk Assessment (204)

Participant ID

- -

Site Number

Participant Number

Chk

Months 18 through 48 Follow-up Risk Assessment

Ec6. Has _____ (third most recent partner) ever had an HIV test? yes no don't know

If no or don't know, go to Introduction, page 25.

Ec6a. What was his **most recent** HIV test result?

- HIV-positive → **If positive, go to question Ec6b.**
- HIV-negative → **If negative, go to question Ec6c.**
- not sure → **If not sure, go to Introduction, page 25.**

Ec6b. Is _____ (third most recent partner) taking any anti-HIV medications? yes no don't know

If yes, no, or don't know, go to Introduction, page 25.

Ec6c. How confident are you that _____ (third most recent partner) is HIV-negative?

Show Card #9.

- | | | | |
|--------------------------|---------------------------|---------------------------|-----------------------------|
| <i>very confident</i> | <i>somewhat confident</i> | <i>slightly confident</i> | <i>not at all confident</i> |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

SAMPLE: DO NOT FAX TO DATAFAX



Visit Code boxes

Page number box: 1

HIVNET 015 (EXPLORE 040)

Months 18 through 48 Follow-up Risk Assessment (205)

Participant ID

Participant ID boxes: Site Number (000), Participant Number, Chk

Months 18 through 48 Follow-up Risk Assessment

INTRODUCTION

The next group of questions asks about the most recent time you had sex with this partner. The following questions will be about _____.

Ec7. When did you last have sex with this partner? That is, anal or oral sex, with or without a condom, and with or without ejaculation..... mm yy

Ec8. Using the choices on this card, during the most recent time you had sex with this partner, where did you have sex?

Show Card #10.

- your house or apartment or his house or apartment
hotel
sex club or bath
bar, night club, or dance club
health club or gym
porn theater/video arcade
public bathroom
other public place, such as beach, park, woods, street, car, or van
other

Ec9. During the most recent time you had sex with this partner, did your partner ejaculate or come in your mouth without a condom? yes no

Ec10. During the most recent time you had sex with this partner, did you have anal sex when his penis was in your rectum? This would be with or without a condom and whether or not he ejaculated. If no, go to question Ec11.

Ec10a. Did your partner use a male condom or did you use an anal condom (Reality® condom)? If no, go to question Ec11.

Ec10a1. Did the condom slip off, tear, break, or otherwise fail?

Ec11. During the most recent time you had sex with this partner, did you have anal sex when your penis was in his rectum? This would be with or without a condom and whether or not you ejaculated. If no, go to question Ec12.

Ec11a. Did you use a male condom or did your partner use an anal condom (Reality® condom)? If no, go to question Ec12.

Ec11a1. Did the condom slip off, tear, break, or otherwise fail?

SAMPLE: DO NOT FAX TO DATAFAX



Visit Code

Visit Code input boxes

Page number 1

HIVNET 015 (EXPLORE 040)

Months 18 through 48 Follow-up Risk Assessment (206)

Participant ID

Participant ID input boxes: Site Number, Participant Number, Chk

Months 18 through 48 Follow-up Risk Assessment

Ec12. Were you drinking alcohol within two hours before or during the most recent time you had sex with this partner?.....

yes

no

yes checkbox

no checkbox

If no, go to question Ec13.

Ec12a. How many drinks did you have? By a drink, I mean a 12-oz. can or glass of beer, a 4-oz. glass of wine, a 1-1/2-oz. shot of liquor, or a mixed drink with that amount of liquor.....

number of drinks input boxes

number of drinks

Ec13. Was your partner drinking within two hours before or during the most recent time you had sex?

yes

no

don't know

yes checkbox

no checkbox

don't know checkbox

Ec14. Did you use drugs either immediately before or during the most recent time you had sex with this partner?.....

yes

no

yes checkbox

no checkbox

If no, go to question Ec15.

Ec14a. Which drugs? Mark all that apply.

- used marijuana or hashish
used poppers or inhaled nitrites, including ampules
smoked crack or rock cocaine
snorted or sniffed cocaine
swallowed, snorted or smoked amphetamines, such as speed, crystal or crank
snorted or smoked heroin
used hallucinogens, such as PCP, Special K, angel dust, acid, LSD, mushrooms, or Ecstasy
used any other non-injectable drugs to get high
used any injectable drugs to get high

Ec15. Did your partner use drugs either immediately before or during the most recent time you had sex with him?

yes

no

don't know

yes checkbox

no checkbox

don't know checkbox

**SAMPLE: DO NOT
FAX TO DATAFAX**



Visit Code

HIVNET 015 (EXPLORE 040)

Months 18 through 48 Follow-up
Risk Assessment (207)

Participant ID

- -
Site Number Participant Number Chk

**Months 18 through 48
Follow-up Risk Assessment**

SEXUAL BEHAVIOR WITH WOMEN

The following questions ask about any female partners with whom you have had sex since your last interview.

F1. How many female sex partners have you had since your last interview? Include only women with whom you had vaginal, anal, or oral sex, with or without a condom, and with or without ejaculation.

If 0, go to Conclusion.

F2. How many of your female sex partners were HIV-positive?

F3. How many of your female sex partners told you they were HIV-negative and you had **no reason** to doubt it?

F4. How many of your female sex partners never told you their HIV status, or told you they were negative and you **have reason** to doubt it?

Interviewer: Adjust numbers of partners in F1 if appropriate.

F5. Were you in a primary relationship with a female sex partner since your last interview? This would be someone you have lived with or have seen a lot, and to whom you have felt a special emotional commitment.

yes no

If no, go to Conclusion.

positive negative not sure

F5a. What is your primary partner's HIV status?

F5b. Has a primary relationship ended since your last interview?.....

yes no

CONCLUSION

This concludes the questionnaire. We will ask similar questions six months from now during one of your regularly scheduled study visits. This important information will help us learn about what happens to participants during this study. Again, thank you for your help and cooperation.