

SAMPLE: DO NOT FAX TO DATAFAX



Visit Code

□□□.□□

1

HIVNET 015 (EXPLORE 040)

Months 6 and 12 Follow-up Risk Assessment (082)

Participant ID

000-□□□□-□
Site Number Participant Number Chk

Months 6 and 12 Follow-up Risk Assessment

Table with 7 columns: Item, strongly disagree, somewhat disagree, slightly disagree, slightly agree, somewhat agree, strongly agree. Rows A9-A23.

□□□ [x] June 21, 2000

sitenameXXXXXXXXXXXXXXXXXXXXXXXXXXXX

01 Language

Staff ID □□□□

**SAMPLE: DO NOT
FAX TO DATAFAX**



Visit
Code

HIVNET 015 (EXPLORE 040)

Months 6 and 12 Follow-up Risk
Assessment (084)

Participant ID

--

Site Number

Participant Number

Chk

**Months 6 and 12
Follow-up Risk Assessment**

PEP QUESTIONS

The following set of questions refer to anti-HIV medications people might try to use to prevent HIV infection after a high-risk exposure. Anti-HIV medications include drugs such as AZT, 3TC, ddi, d4T, nevirapine, and protease inhibitors. Using anti-HIV drugs this way is sometimes referred to as post-exposure prevention, PEP, or morning after pills.

- B1. Since your last interview, have you used anti-HIV medications to prevent HIV infection either before or after a high-risk sexual or drug use exposure? *yes* *no*
- B2. If you had unprotected receptive anal sex with an HIV-positive partner, how likely would you be to try anti-HIV medications to prevent HIV infection? *very likely* *somewhat likely* *not at all likely*
- B3. If you had a high-risk exposure and wanted to get anti-HIV medications to try to prevent HIV infection and cost was not an issue, do you think you would be able to easily obtain the drugs? *yes* *no*

Using the scale on this card, please indicate how much you agree or disagree with the following statement.

Show Card #2.

- | | | | | | | |
|--|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| | <i>strongly disagree</i> | <i>somewhat disagree</i> | <i>slightly disagree</i> | <i>slightly agree</i> | <i>somewhat agree</i> | <i>strongly agree</i> |
| B4. Easy access to PEP will increase unsafe sex among people I know. | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

**SAMPLE: DO NOT
FAX TO DATAFAX**

■ ■ ■ ■ ■ ■ ■ ■ ■ ■ Visit Code

□ □ . □

1

HIVNET 015 (EXPLORE 040)

Months 6 and 12 Follow-up Risk Assessment (085)

Participant ID

0 0 0 - □ □ □ □ □ - □
Site Number Participant Number Chk

**Months 6 and 12
Follow-up Risk Assessment**

SUBSTANCE USE AND SEX QUESTIONS

The next set of questions is about alcohol and drug use. Please remember that this information will not be disclosed to any agency, program, or individual. All data are strictly confidential and participants are protected by our Certificate of Confidentiality.

- C1. Since your last interview, about how often did you get high or have a few drinks immediately before or during sex?
 never occasionally often all the time

 If never, go to question C3.
- C2. Since your last interview, about how often would you say that alcohol or drug use made it more difficult for you to have safer sex?
 never occasionally often all the time

ALCOHOL USE QUESTIONS

- C3. Using this card, tell me, on average how often have you had a drink containing alcohol since your last interview? By a drink, I mean a 12-oz. can or glass of beer, a 4-oz. glass of wine, a 1-1/2-oz. shot of liquor, or a mixed drink with that amount of liquor. Show Card #6.

Total # days in six months	0	1-25	26-52	53-156	>156
	never	less than once a week	1-2 days a week	3-6 days a week	every day
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

If never, go to question C4.

- C3a. How many drinks containing alcohol did you have on a typical day when you were drinking since your last interview? number of drinks
- C3b. On how many days since your last interview did you have five drinks or more? number of days
- C3c. Think now about the last 30 days only. On how many of those days did you have an alcoholic drink? number of days

**SAMPLE: DO NOT
FAX TO DATAFAX**



Visit
Code

.

1

HIVNET 015 (EXPLORE 040)

Months 6 and 12 Follow-up Risk
Assessment (086)

Page 6 of 27

Participant ID

- -

Site Number Participant Number Chk

**Months 6 and 12
Follow-up Risk Assessment**

- C4. Since your last interview, have you received alcohol treatment? This does not include self-help programs such as Alcoholics Anonymous. **yes** **no** → **If no, go to question C6.**
- C5. Are you in alcohol treatment now? **yes** **no**
- C6. Since your last interview, have you attended a self-help program for alcohol problems, such as Alcoholics Anonymous? **yes** **no**

DRUG USE QUESTIONS

Next are questions about drug use. Again, please remember that this information will not be disclosed to any agency, program, or individual. All data are strictly confidential and participants are protected by our Certificate of Confidentiality.

- C7. Using the choices on this card, since your last interview, how often have you... **Show Card #6.**

<i>Total times in six months</i>	0	1-25	26-52	53-156	>156
----------------------------------	---	------	-------	--------	------

	never	less than once a week	1-2 days a week	3-6 days a week	every day
used marijuana or hashish?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
used poppers or inhaled nitrites, including ampules?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
smoked crack or rock cocaine?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
snorted or sniffed cocaine?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
swallowed, snorted, or smoked amphetamines such as speed, crystal, or crank?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
snorted or smoked heroin?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
used hallucinogens such as PCP, Special K, angel dust, acid, LSD, mushrooms, or Ecstasy?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
used any other non-injectable drugs to get high?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

**SAMPLE: DO NOT
FAX TO DATAFAX**

Visit Code

HIVNET 015 (EXPLORE 040)

Months 6 and 12 Follow-up Risk Assessment (087)

Page 7 of 27

Participant ID

- -

Site Number

Participant Number

Chk

**Months 6 and 12
Follow-up Risk Assessment**

C8. Since your last interview, have you used a needle to inject any drugs, including steroids, under your skin or into a vein?

yes

no

➔ **If no, go to question D1.**

C9. Using the choices on this card, please tell me how often you have injected drugs since your last interview.

Show Card #7.

<i>Total times in six months</i>	1-11	12-51	52-182	>182
	<i>less than twice per month</i>	<i>2-8 x per month</i>	<i>2-7 x per week</i>	<i>more than once per day</i>
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

C10. Since your last interview, with how many different people did you share needles or works?

none 1 other person more than one person

↓
If none, go to question D1.

C10a. Since your last interview, did you ever share a needle with someone you knew to be HIV-positive?

yes

no

SAMPLE: DO NOT FAX TO DATAFAX



Visit Code

□□.□

1

HIVNET 015 (EXPLORE 040)

Months 6 and 12 Follow-up Risk Assessment (088)

Participant ID

000-□□□□-□
Site Number Participant Number Chk

Months 6 and 12 Follow-up Risk Assessment

SEXUAL BEHAVIOR WITH MEN

The following questions ask about your sexual behavior with male partners who are HIV-positive and HIV-negative, as well as partners whose HIV status is unknown to you. Again, these questions refer to the time period since your last interview.

D1. How many male sex partners have you had since your last interview? Include only men with whom you had anal or oral sex, with or without a condom, and with or without ejaculation.

□□□

If 0, go to question F1, page 27.

D2. How many of your male sex partners were HIV positive?

□□□

D3. How many of your male sex partners told you they were HIV-negative and you had no reason to doubt it?.....

□□□

D4. How many of your male sex partners never told you their HIV status, or told you they were negative and you have reason to doubt it?

□□□

Interviewer: Adjust numbers of partners in D1 if appropriate.

D5. Were you in a primary relationship with a male sex partner since your last interview? This would be someone you have lived with or have seen a lot, and to whom you have felt a special emotional commitment.....

yes no
□ □

If no, go to Introduction below.

D5a. What is your primary partner's HIV status?

positive negative not sure
□ □ □

D5b. Has a primary relationship ended since your last interview?.....

yes no
□ □

INTRODUCTION

Some of the next questions refer to sexual behaviors where you or your partner may have used a condom. Sex with a condom means that a condom was put on before penetration and used throughout. It includes times when a condom was used but then broke or slipped off. However, if penetration started without a condom, then a condom was put on and you continued, count this as sex without a condom.

INSTRUCTION 1: If subject reported no HIV-positive sex partners in question D2, go to Instruction 2 on page 9.

**SAMPLE: DO NOT
FAX TO DATAFAX**

■ ■ ■ ■ ■ ■ ■ ■ ■ ■ Visit Code

□ □ . □

1

HIVNET 015 (EXPLORE 040)

Months 6 and 12 Follow-up Risk Assessment (089)

Participant ID

0 0 0 - □ □ □ □ □ - □
Site Number Participant Number Chk

**Months 6 and 12
Follow-up Risk Assessment**

HIV-POSITIVE PARTNERS

The next group of questions asks about the sexual contacts you had since your last interview with your HIV-positive male partner(s).

D6. How many times did this/ these partner(s) ejaculate or come in your mouth without a condom?

□ □ □

D7. How many times did you have anal sex with this/these partner(s) when his/ their penis was in your rectum? This would be with or without a condom and whether or not he/they ejaculated.

□ □ □

If 0, go to question D8.

D7a. How many of these times did your partner(s) use a male condom or did you use an anal condom (Reality® condom)?

□ □ □

If 0, go to question D8.

D7a1. How many of these times did a condom slip off, tear, break, or otherwise fail?

□ □ □

D8. How many times did you have anal sex with your HIV-positive partner(s) when your penis was in his/their rectum? This would be with or without a condom and whether or not you ejaculated.

□ □ □

If 0, go to Instruction 2.

D8a. How many of these times did you use a male condom or did your partner(s) use an anal condom (Reality® condom)?

□ □ □

If 0, go to Instruction 2.

D8a1. How many of these times did a condom slip off, tear, break, or otherwise fail?

□ □ □

INSTRUCTION 2: If participant reported no HIV-negative male sex partners in question D3, go to Instruction 3 on page 10.

**SAMPLE: DO NOT
FAX TO DATAFAX**



Visit
Code

HIVNET 015 (EXPLORE 040)

Months 6 and 12 Follow-up Risk
Assessment (090)

Participant ID

- -

Site Number

Participant Number

Chk

**Months 6 and 12
Follow-up Risk Assessment**

HIV-NEGATIVE PARTNERS

The next group of questions asks about the sexual contact you had since your last interview with your HIV-negative male partner(s).

D9. How many times did this/these partner(s) ejaculate or come in your mouth without a condom?

D10. How many times did you have anal sex with this/these partner(s) when his/their penis was in your rectum? This would be with or without a condom and whether or not he/they ejaculated.

If 0, go to question D11.

D10a. How many of these times did your partner(s) use a male condom or did you use an anal condom (Reality® condom)?

If 0, go to question D11.

D10a1. How many of these times did a condom slip off, tear, break, or otherwise fail?

D11. How many times did you have anal sex with your HIV-negative partner(s) when your penis was in his/their rectum? This would be with or without a condom and whether or not you ejaculated.

If 0, go to Instruction 3.

D11a. How many of these times did you use a male condom or did your partner(s) use an anal condom (Reality® condom)?

If 0, go to Instruction 3.

D11a1. How many of these times did a condom slip off, tear, break, or otherwise fail?

INSTRUCTION 3: If participant reported no partners of unknown status in question D4, go to page 12.

**SAMPLE: DO NOT
FAX TO DATAFAX**

Visit Code

.

HIVNET 015 (EXPLORE 040)

Months 6 and 12 Follow-up Risk Assessment (091)

Participant ID

- -

Site Number

Participant Number

Chk

**Months 6 and 12
Follow-up Risk Assessment**

HIV-STATUS UNKNOWN PARTNERS

The next group of questions asks about the sexual contact you had since your last interview with your male partner(s) whose HIV status you are not sure of.

D12. How many times did this/these partner(s) ejaculate or come in your mouth without a condom?

D13. How many times did you have anal sex with this/these partner(s) when his/their penis was in your rectum? This would be with or without a condom and whether or not he/they ejaculated.

➔ If 0, go to question D14.

D13a. How many of these times did your partner(s) use a male condom or did you use an anal condom (Reality® condom)?

➔ If 0, go to question D14.

D13a1. How many of these times did a condom slip off, tear, break, or otherwise fail?

D14. How many times did you have anal sex with this/these partner(s) whose HIV status you are not sure of, when your penis was in his/their rectum? This would be with or without a condom and whether or not you ejaculated.

➔ If 0, go to question D15.

D14a. How many of these times did you use a male condom or did your partner(s) use an anal condom (Reality® condom)?

➔ If 0, go to question D15.

D14a1. How many of these times did a condom slip off, tear, break, or otherwise fail?

**SAMPLE: DO NOT
FAX TO DATAFAX**



Visit
Code

HIVNET 015 (EXPLORE 040)

Months 6 and 12 Follow-up Risk
Assessment (092)

Participant ID

-

Site Number

Participant Number

Chk

**Months 6 and 12
Follow-up Risk Assessment**

PARTNER BY PARTNER QUESTIONS

Interviewer: Record the number of partners reported in question D1.

You will now be asked more detailed questions about your most recent male sex partner(s) since your last interview, up to a maximum of three partners.

D15. Think about your most recent male sex partner. Could you give me initials, a first name, or nickname that I can use to refer to him? This does not need to be his real name or initials.

➔ **If only 1 partner since your last interview, go to Instruction 4, page 13.**

D16. Think about your next most recent male sex partner. Could you give me initials, a first name, or nickname that I can use to refer to him? This does not need to be his real name or initials.

➔ **If only 2 partners since your last interview, go to Instruction 4, page 13.**

D17. Think about your next most recent male sex partner. Could you give me initials, a first name, or nickname that I can use to refer to him? This does not need to be his real name or initials.

SAMPLE: DO NOT FAX TO DATAFAX



Visit Code

□□.□

1

HIVNET 015 (EXPLORE 040)

Months 6 and 12 Follow-up Risk Assessment (094)

Page 14 of 27

Participant ID

000-□□□□-□

Site Number

Participant Number

Chk

Months 6 and 12 Follow-up Risk Assessment

yes no don't know

Ea6. Has _____ (most recent partner) ever had an HIV test?

□ □ □

If no or don't know, go to Introduction, page 15.

Ea6a. What was his most recent HIV test result?

HIV-positive → **If positive, go to question Ea6b.**

HIV-negative → **If negative, go to question Ea6c.**

not sure → **If not sure, go to Introduction, page 15.**

Ea6b. Is _____ (most recent partner) taking any anti-HIV medications?.....

yes no don't know
□ □ □

If yes, no, or don't know, go to Introduction, page 15.

Ea6c. How confident are you that _____ (most recent partner) is HIV-negative?

Show Card #9.

<i>very confident</i>	<i>somewhat confident</i>	<i>slightly confident</i>	<i>not at all confident</i>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

SAMPLE: DO NOT FAX TO DATAFAX



Visit Code

□□.□

HIVNET 015 (EXPLORE 040)

Months 6 and 12 Follow-up Risk Assessment (096)

Participant ID

000-□□□□-□

Site Number

Participant Number

Chk

Months 6 and 12 Follow-up Risk Assessment

Ea12. Were you drinking alcohol within two hours before or during the most recent time you had sex with this partner?

yes

no

□

□

If no, go to question Ea13.

Ea12a. How many drinks did you have? By a drink, I mean a 12-oz. can or glass of beer, a 4-oz. glass of wine, a 1-1/2-oz. shot of liquor, or a mixed drink with that amount of liquor.

□□

number of drinks

Ea13. Was your partner drinking within two hours before or during the most recent time you had sex?

yes

no

don't know

□

□

□

Ea14. Did you use drugs either immediately before or during the most recent time you had sex with this partner?

□

□

If no, go to question Ea15.

Ea14a. Which drugs? Mark all that apply.

- used marijuana or hashish
□ used poppers or inhaled nitrites, including ampules
□ smoked crack or rock cocaine
□ snorted or sniffed cocaine
□ swallowed, snorted or smoked amphetamines, such as speed, crystal or crank
□ snorted or smoked heroin
□ used hallucinogens, such as PCP, Special K, angel dust, acid, LSD, mushrooms, or Ecstasy
□ used any other non-injectable drugs to get high
□ used any injectable drugs to get high

Ea15. Did your partner use drugs either immediately before or during the most recent time you had sex with him?

yes

no

don't know

□

□

□

SAMPLE: DO NOT FAX TO DATAFAX



Visit Code

□□.□

1

HIVNET 015 (EXPLORE 040)

Months 6 and 12 Follow-up Risk Assessment (098)

Participant ID

000-□□□□-□
Site Number Participant Number Chk

Months 6 and 12 Follow-up Risk Assessment

Ea21. Were you drinking alcohol within two hours before or during the next to last time you had sex with this partner?.....

yes

no

□

□

If no, go to question Ea22.

Ea21a. How many drinks did you have? By a drink, I mean a 12-oz. can or glass of beer, a 4-oz. glass of wine, a 1-1/2-oz. shot of liquor, or a mixed drink with that amount of liquor.

□□

number of drinks

Ea22. Was your partner drinking within two hours before or during the next to last time you had sex?

yes

no

don't know

□

□

□

Ea23. Did you use drugs either immediately before or during the next to last time you had sex with this partner?

□

□

If no, go to question Ea24.

Ea23a. Which drugs? Mark all that apply.

- used marijuana or hashish
- used poppers or inhaled nitrites, including ampules
- smoked crack or rock cocaine
- snorted or sniffed cocaine
- swallowed, snorted or smoked amphetamines, such as speed, crystal or crank
- snorted or smoked heroin
- used hallucinogens, such as PCP, Special K, angel dust, acid, LSD, mushrooms, or Ecstasy
- used any other non-injectable drugs to get high
- used any injectable drugs to get high

Ea24. Did your partner use drugs either immediately before or during the next to last time you had sex with him?

yes

no

don't know

□

□

□

Go to question F1, page 27.

Interviewer: Go to question F1, page 27.

**SAMPLE: DO NOT
FAX TO DATAFAX**



□□.□

1

HIVNET 015 (EXPLORE 040)

Months 6 and 12 Follow-up Risk Assessment (099)

Participant ID

000-□□□□-□
Site Number Participant Number Chk

**Months 6 and 12
Follow-up Risk Assessment**

INSTRUCTION 6: Record "second most recent partner" name/initials from question D16.

The following questions will be about _____.

Eb1. Is this person a... *Mark only one.*

- primary partner? This would be someone that you have lived with or have seen a lot, and to whom you have felt a special emotional commitment.*
- steady, non-primary partner? This would be a partner with whom you had sex three or more times in the past, but don't consider your primary partner.*
- non-steady partner? This would be a partner with whom you had sex less than three times in the past.*

Eb2. How desirable did you find this partner?

<i>attractive enough</i>	<i>very desirable</i>	<i>extremely desirable</i>
□	□	□

Eb3. How old is this partner?

<i>≤ 18 years</i>	<i>19-24 years</i>	<i>25-29 years</i>	<i>30-34 years</i>	<i>35-39 years</i>	<i>40-44 years</i>	<i>45-49 years</i>	<i>≥ 50 years</i>
□	□	□	□	□	□	□	□

Eb4. How long have you been having sex with this partner? That is, anal or oral sex, with or without a condom, and with or without ejaculation. Show Card #8.

- less than a week*
- more than a week but less than a month*
- one to six months*
- seven to 12 months*
- more than a year*

Eb5. How many times have you had sex with him since your last interview? That is, anal or oral sex, with or without a condom, and with or without ejaculation.

□□□

□ □ □ June 21, 2000

sitenameXXXXXXXXXXXXXXXXXXXXXXXXXXXX

01
Language

Staff ID □□

SAMPLE: DO NOT FAX TO DATAFAX



Visit Code

□□.□

1

HIVNET 015 (EXPLORE 040)

Months 6 and 12 Follow-up Risk Assessment (100)

Page 20 of 27

Participant ID

000-□□□□-□
Site Number Participant Number Chk

Months 6 and 12 Follow-up Risk Assessment

Eb6. Has _____ (second most recent partner) ever had an HIV test? yes no don't know
If no or don't know, go to Introduction, page 21.

Eb6a. What was his most recent HIV test result?

- HIV-positive → If positive, go to question Eb6b.
- HIV-negative → If negative, go to question Eb6c.
- not sure → If not sure, go to Introduction, page 21.

Eb6b. Is _____ (second most recent partner) taking any anti-HIV medications? yes no don't know
If yes, no, or don't know, go to Introduction, page 21.

Eb6c. How confident are you that _____ (second most recent partner) is HIV-negative?

Show Card #9.

- very confident
- somewhat confident
- slightly confident
- not at all confident

**SAMPLE: DO NOT
FAX TO DATAFAX**

Visit Code

□□.□□

1

HIVNET 015 (EXPLORE 040)

Months 6 and 12 Follow-up Risk Assessment (101)

Page 21 of 27

Participant ID

000-□□□□-□
Site Number Participant Number Chk

**Months 6 and 12
Follow-up Risk Assessment**

INTRODUCTION

The next group of questions asks about the most recent time you had sex with this partner. The following questions will be about _____.

Eb7. When did you last have sex with this partner? That is, anal or oral sex, with or without a condom, and with or without ejaculation.
mm yy
□□ □□

Eb8. Using the choices on this card, during the **most recent time** you had sex with this partner, where did you have sex? Show Card #10.

- your house or apartment or his house or apartment
- hotel
- sex club or bath
- bar, night club, or dance club
- health club or gym
- porn theater/video arcade
- public bathroom
- other public place, such as beach, park, woods, street, car, or van
- other

Eb9. During the most recent time you had sex with this partner, did your partner ejaculate or come in your mouth without a condom?
yes no
□ □

Eb10. During the most recent time you had sex with this partner, did you have anal sex when his penis was in your rectum? This would be with or without a condom and whether or not he ejaculated.....
□ □ → If no, go to question Eb11.

Eb10a. Did your partner use a male condom or did you use an anal condom (Reality® condom)?
□ □ → If no, go to question Eb11.

Eb10a1. Did the condom slip off, tear, break, or otherwise fail?
□ □

Eb11. During the most recent time you had sex with this partner, did you have anal sex when your penis was in his rectum? This would be with or without a condom and whether or not you ejaculated.
□ □ → If no, go to question Eb12.

Eb11a. Did you use a male condom or did your partner use an anal condom (Reality® condom)?
□ □ → If no, go to question Eb12.

Eb11a1. Did the condom slip off, tear, break, or otherwise fail?
□ □

SAMPLE: DO NOT FAX TO DATAFAX



Visit Code

□□.□

HIVNET 015 (EXPLORE 040)

Months 6 and 12 Follow-up Risk Assessment (102)

Participant ID

000-□□□□-□

Site Number

Participant Number

Chk

Months 6 and 12 Follow-up Risk Assessment

Eb12. Were you drinking alcohol within two hours before or during the most recent time you had sex with this partner?.....

yes

no

□

□

If no, go to question Eb13.

Eb12a. How many drinks did you have? By a drink, I mean a 12-oz. can or glass of beer, a 4-oz. glass of wine, a 1-1/2-oz. shot of liquor, or a mixed drink with that amount of liquor.

□□

number of drinks

Eb13. Was your partner drinking within two hours before or during the most recent time you had sex?

yes

no

don't know

□

□

□

Eb14. Did you use drugs either immediately before or during the most recent time you had sex with this partner?

yes

no

□

□

If no, go to question Eb15.

Eb14a. Which drugs? Mark all that apply.

- used marijuana or hashish
□ used poppers or inhaled nitrites, including ampules
□ smoked crack or rock cocaine
□ snorted or sniffed cocaine
□ swallowed, snorted or smoked amphetamines, such as speed, crystal or crank
□ snorted or smoked heroin
□ used hallucinogens, such as PCP, Special K, angel dust, acid, LSD, mushrooms, or Ecstasy
□ used any other non-injectable drugs to get high
□ used any injectable drugs to get high

Eb15. Did your partner use drugs either immediately before or during the most recent time you had sex with him?

yes

no

don't know

□

□

□

SAMPLE: DO NOT FAX TO DATAFAX



Visit Code [][] . []

HIVNET 015 (EXPLORE 040)

Months 6 and 12 Follow-up Risk Assessment (103)

Participant ID

Participant ID: [0][0][0] - [][][][][] - []
Site Number Participant Number Chk

Months 6 and 12 Follow-up Risk Assessment

INSTRUCTION 7: If participant had only two male partners reported in question D15, go to question F1, page 27. Otherwise, record "third most recent partner" name/initials from question D17.

The following questions will be about _____.

Ec1. Is this person a... Mark only one.

- primary partner? This would be someone that you have lived with or have seen a lot, and to whom you have felt a special emotional commitment.
steady, non-primary partner? This would be a partner with whom you had sex three or more times in the past, but don't consider your primary partner.
non-steady partner? This would be a partner with whom you had sex less than three times in the past.

Ec2. How desirable did you find this partner?

attractive enough very desirable extremely desirable
[] [] []

Ec3. How old is this partner?

Age ranges: <= 18 years, 19-24 years, 25-29 years, 30-34 years, 35-39 years, 40-44 years, 45-49 years, >= 50 years. Each with a checkbox.

Ec4. How long have you been having sex with this partner? That is, anal or oral sex, with or without a condom, and with or without ejaculation. Show Card #8.

- less than a week
more than a week but less than a month
one to six months
seven to 12 months
more than a year

Ec5. How many times have you had sex with him since your last interview? That is, anal or oral sex, with or without a condom, and with or without ejaculation.

[][][]

SAMPLE: DO NOT FAX TO DATAFAX



Visit Code

□□.□

1

HIVNET 015 (EXPLORE 040)

Months 6 and 12 Follow-up Risk Assessment (104)

Page 24 of 27

Participant ID

000-□□□□-□
Site Number Participant Number Chk

Months 6 and 12 Follow-up Risk Assessment

Ec6. Has _____ (third most recent partner) ever had an HIV test? yes no don't know

If no or don't know, go to Introduction, page 25.

Ec6a. What was his most recent HIV test result?

- HIV-positive → If positive, go to question Ec6b.
- HIV-negative → If negative, go to question Ec6c.
- not sure → If not sure, go to Introduction, page 25.

Ec6b. Is _____ (third most recent partner) taking any anti-HIV medications? yes no don't know

If yes, no, or don't know, go to Introduction, page 25.

Ec6c. How confident are you that _____ (third most recent partner) is HIV-negative?

Show Card #9.

- | | | | |
|--------------------------|--------------------------|--------------------------|--------------------------|
| very confident | somewhat confident | slightly confident | not at all confident |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

SAMPLE: DO NOT FAX TO DATAFAX



Visit Code boxes: [][] . []

Page number box: [1]

HIVNET 015 (EXPLORE 040)

Months 6 and 12 Follow-up Risk Assessment (105)

Participant ID

Participant ID boxes: [0][0][0]-[][][][][]-[]

Site Number

Participant Number

Chk

Months 6 and 12 Follow-up Risk Assessment

INTRODUCTION

The next group of questions asks about the most recent time you had sex with this partner.

The following questions will be about _____.

Ec7. When did you last have sex with this partner? That is, anal or oral sex, with or without a condom, and with or without ejaculation..... mm yy [][] [][]

Ec8. Using the choices on this card, during the most recent time you had sex with this partner, where did you have sex?

Show Card #10.

[] your house or apartment or his house or apartment

[] porn theater/video arcade

[] hotel

[] public bathroom

[] sex club or bath

[] other public place, such as beach, park, woods, street, car, or van

[] bar, night club, or dance club

[] other

[] health club or gym

Ec9. During the most recent time you had sex with this partner, did your partner ejaculate or come in your mouth without a condom? yes no [] []

Ec10. During the most recent time you had sex with this partner, did you have anal sex when his penis was in your rectum? This would be with or without a condom and whether or not he ejaculated. [] [] -> If no, go to question Ec11.

Ec10a. Did your partner use a male condom or did you use an anal condom (Reality® condom)?..... [] [] -> If no, go to question Ec11.

Ec10a1. Did the condom slip off, tear, break, or otherwise fail? [] []

Ec11. During the most recent time you had sex with this partner, did you have anal sex when your penis was in his rectum? This would be with or without a condom and whether or not you ejaculated. [] [] -> If no, go to question Ec12.

Ec11a. Did you use a male condom or did your partner use an anal condom (Reality® condom)?..... [] [] -> If no, go to question Ec12.

Ec11a1. Did the condom slip off, tear, break, or otherwise fail? [] []

SAMPLE: DO NOT FAX TO DATAFAX



Visit Code

□□.□

1

HIVNET 015 (EXPLORE 040)

Months 6 and 12 Follow-up Risk Assessment (106)

Page 26 of 27

Participant ID

000-□□□□-□
Site Number Participant Number Chk

Months 6 and 12 Follow-up Risk Assessment

Ec12. Were you drinking alcohol within two hours before or during the most recent time you had sex with this partner?.....

yes

no

□

□

→ If no, go to question Ec13.

Ec12a. How many drinks did you have? By a drink, I mean a 12-oz. can or glass of beer, a 4-oz. glass of wine, a 1-1/2-oz. shot of liquor, or a mixed drink with that amount of liquor.....

□□

number of drinks

Ec13. Was your partner drinking within two hours before or during the most recent time you had sex?

yes

no

don't know

□

□

□

Ec14. Did you use drugs either immediately before or during the most recent time you had sex with this partner?.....

yes

no

□

□

→ If no, go to question Ec15.

Ec14a. Which drugs? Mark all that apply.

- used marijuana or hashish
- used poppers or inhaled nitrites, including ampules
- smoked crack or rock cocaine
- snorted or sniffed cocaine
- swallowed, snorted or smoked amphetamines, such as speed, crystal or crank
- snorted or smoked heroin
- used hallucinogens, such as PCP, Special K, angel dust, acid, LSD, mushrooms, or Ecstasy
- used any other non-injectable drugs to get high
- used any injectable drugs to get high

Ec15. Did your partner use drugs either immediately before or during the most recent time you had sex with him?

yes

no

don't know

□

□

□

