AMP CRS Real World Experience in Zimbabwe



Zvichauya Charles Chasakara HPTN/IMPAACT Network Annual Meeting



12 June 2016



The AMP Study: Highlights

- In sub-Saharan Africa, AIDS has a woman's face
- 59% of the 22.9 million PLWH in the region are women
- Young women twice as likely to be infected as young men
 - physiology,
 - Gender
 - social imbalances
- Unprotected heterosexual intercourse leading mode of HIV-1 transmission






HIV in SSA AMP Countries

Country	People living with HIV/AIDS	Adult (15-49 yr) Prevalence	Women with HIV/AIDS	Children with HIV/AIDS	AIDS Deaths
Botswana	300 000	23.4	160 000	15 000	4 200
Kenya	1, 600 000	6.2	800 000	220 000	62 000
Malawi	910 000	10.0	430 000	170 000	44 000
Mozambique	1, 400 000	11.3	750 000	200 000	74 000
SA	5, 600 000	17.3	2,900000	460 000	270 000
Tanzania	1, 800 000	5.6	760 000	230 000	84 000
Zimbabwe	1,200 000	14.9	600 000	200 000	58 000
1					







Trials Network

AMP CRSs in Zimbabwe

- Spilhaus
- Parirenyatwa
- Seke South



Catchment Areas







Time lines

Regulatory Updates

- MRCZ: Approval received
- MCAZ: Additional information requested & submitted.
- RCZ: Response expected in July
- The protocol is targeted to start in July
- CAB protocol refresher training: 15 July 2016





Activity	# of Activities	Total Attendance	Comments	
CTU CAB Training	1	35/42 (83%)	 Community Mapping CE & Recruitment Strategies Refresher scheduled 	
 Stakeholders Meetings 1. Health Promoters 2. WSW District 3. Chitungwiza combined 4. Health awareness campaign (Typhoid outbreak/Sanitation) 	5 1 1 1	298 112 178 294	 Community Mapping Acceptability Potential participant pool 	
WSW District Sex Workers	1	27		
General Community Sensitization	-	1000+		
HIV Research Advisory Whatsapp Platform	-	168	UpdatesStakeholder meetings	















Thank You

- Stakeholders & the general community
- CAB members
- Staff